



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/668,009	09/22/2003	Joo S. Choi	2008.007800/03-0623	1907
23720	7590	08/28/2006	EXAMINER	
WILLIAMS, MORGAN & AMERSON 10333 RICHMOND, SUITE 1100 HOUSTON, TX 77042			KIM, HONG CHONG	
			ART UNIT	PAPER NUMBER
			2185	

DATE MAILED: 08/28/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/668,009

Applicant(s)

CHOI, JOO S.

Examiner

Hong C. Kim

Art Unit

2185

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 11 August 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3 and 5-28 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3, 5, 6, 7, 10-14, 16-26 and 28 is/are rejected.
- 7) ☒ Claim(s) 8 9 15 27 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 2185

Detailed Action

1. Claims 1-3 and 5-28 are presented for examination. This office action is in response to the RCE amendment filed on 8/11/2006.
2. Applicants are reminded of the duty to disclose information under 37 CFR 1.56.

Claim Objections

3. Claims 1-3 and 5-28 are objected to because of the following informalities:

As to claims 1-3 and 5-28, it appears that added limitations (i.e. determining the desired burst length information or latency information in response to receiving the received memory request) were not described in the specification at the time the application was filed.

As to claim 23, "the memory controller" should be changed to – a memory controller--.

Appropriate correction/explanation is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the

Art Unit: 2185

applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 1-2, and 5-28 are rejected under 35 U.S.C. 102(e) as being anticipated by Arimilli US Patent No. 6,675,270.

As to claims 1 and 22, Arimilli discloses the invention as claimed. Arimilli discloses a method, comprises receiving a command (Fig. 5 RAS, CAS and data) from a controller (Fig. 2 Ref. 235) to access a memory (Fig. 2 Ref. 234) in response to a memory request from a source (Fig. 2 Ref. 110); determining the desired burst length (Fig. 3 Ref. 303 and col. 2 lines 63+ & col. 4 lines 30-41 the memory controller interprets the received command bits for address and burst length information reads on this limitation) information in response to receiving the received memory request from the source; and providing data (Fig. 5 Ref. Data) to or from the memory in response to the command based on at least one of the burst length information and the latency information.

As to claim 2, Arimilli discloses the invention as claimed the above. Arimilli further discloses wherein receiving a command comprises receiving at least one of a READ operation and WRITE operation to access the contents of the memory (Fig. 5, Read and Write).

As to claim 5, Arimilli discloses the invention as claimed the above. Arimilli further discloses wherein determining the desired burst length information comprises

Art Unit: 2185

determining the desired burst length information based on an amount of data to be retrieved from the memory (col. 2 lines 58-60 and 63+).

As to claim 6, Arimilli discloses the invention as claimed the above. Arimilli further discloses wherein determining the burst length information comprises determining the burst length information based on the source that provided the memory request (Fig. 3 Ref 303).

As to claim 7, Arimilli discloses the invention as claimed the above. Arimilli further discloses wherein providing the data comprises providing the data comprises providing the data in response to receiving the burst length information or latency information over a redundant address line to the memory (col. 2 lines 63+ and Fig. 3 Ref 303).

As to claim 10, Arimilli discloses the invention as claimed. Arimilli discloses an apparatus, comprises a controller (Fig. 2 Ref. 235) adapted to: provide a command (Fig. 5 CAS, RAS and Data) to access a memory array (Fig. 2 Ref. 234) in response to a memory request from a source (Fig. 2 Ref. 110); determine at least one of burst length information and latency information in response to receiving the memory request (Fig. 3 Ref 303 and col. 2 lines 63+ & col. 4 lines 33-35) and receive data (Fig. 5 Data) from the memory array based on at least one of the burst length information and the latency information.

As to claim 11, Arimilli discloses the invention as claimed the above. Arimilli further discloses wherein the controller is adapted to issue a READ operation access the contents of the memory (Fig. 5 Read and write).

As to claim 12, Arimilli discloses the invention as claimed the above. Arimilli further discloses wherein the controller is adapted to provide at least one of the burst length information and the latency information contemporaneously with the command to access the memory (col. 2 lines 63+).

As to claim 13, Arimilli discloses the invention as claimed the above. Arimilli further discloses wherein the controller is adapted to provide a burst length of a first preselected value in response to receiving a request from a peripheral client and a burst length of a second preselected value in response to receiving a request from a main client, wherein the first preselected value is less than the second preselected value (and col. 2 lines 63+).

As to claim 14, Arimilli discloses the invention as claimed the above. Arimilli further discloses wherein the controller is adapted to provide at least one of the burst length information and latency information over a redundant address line to the memory (Fig. 3 Ref. 303).

As to claim 16, Arimilli discloses the invention as claimed the above. Arimilli further discloses wherein the controller is adapted to issue a WRITE command and adapted to provide write latency information contemporaneously with the WRITE command (col. 2 lines 63+).

As to claim 17, Arimilli discloses the invention as claimed. Arimilli discloses a system, comprises a memory array (Fig. 3 Ref. 234), and a controller (Fig. 3 ref. 235) communicatively coupled to the memory array, the controller adapted to: provide a command (Fig. 5 RAS, CAS, and Data) to access the memory array in response to a memory request (Fig. 3) from a source (Fig. 1 Ref. 110); and determine at least one of burst length information and latency information in response to receiving (Fig. 3 Ref 303 and col. 2 lines 63+ & col. 4 lines 33-35) ; and wherein the memory array is adapted to provide or receive data (Fig. 5 Data) based on at least one of the burst length information and the latency information.

As to claim 18, Arimilli discloses the invention as claimed the above. Arimilli further discloses wherein the controller is adapted to issue at least one of a READ operation and WRITE operation access the contents of the memory (Fig. 5 read and write).

As to claim 19, Arimilli discloses the invention as claimed the above. Arimilli further discloses wherein the controller is adapted to provide at least one of the burst

length information and the latency information contemporaneously with the command to access the memory (col. 2 lines 63+).

As to claim 20, Arimilli discloses the invention as claimed the above. Arimilli further discloses wherein the controller is adapted to provide a burst length of a first preselected value in response to receiving a request from a peripheral client and a burst length of a second preselected value in response to receiving a request from a main client, wherein the first preselected value is less than the second preselected value (Col. 2 lines 63+).

As to claim 21, Arimilli discloses the invention as claimed the above. Arimilli further discloses wherein the controller is adapted to provide at least one of the burst length information and latency information over a redundant address line to the memory (col. 2 lines 63+).

As to claim 23, Arimilli discloses the invention as claimed. Arimilli discloses an apparatus, comprises a memory (Fig. 2 ref. 234) adapted to: receive a request (Fig. 5) to access contents of the memory; receive, from the memory controller, at least one of burst length information (Fig. 3 ref. 303 and col. 2 lines 63+) and latency information in response to receiving the memory request from a source (Fig. 1 ref. 110); and provide data (Fig. 5 Data) from the memory based on at least one of the burst length information and the latency information.

As to claim 24, Arimilli discloses the invention as claimed the above. Arimilli further discloses wherein memory is adapted to receive at least one of the burst length information and the latency information contemporaneously with the command to access the memory (col. 2 lines 63 thru col. 3 line 2).

As to claim 25, Arimilli discloses the invention as claimed the above. Arimilli further discloses wherein the memory is adapted to receive a burst length of a first preselected value in response to the controller receiving a request from a peripheral client and a burst length of a second preselected value in response to the controller receiving a request from a main client, wherein the first preselected value is less than the second preselected value (col. 2 lines 63 thru col. 3 line 2).

As to claim 26, Arimilli discloses the invention as claimed the above. Arimilli further discloses wherein the memory is adapted to receive at least one of the burst length information and latency information over a redundant address line (col. 2 lines 63 thru col. 3 line 2).

As to claim 28, Arimilli discloses the invention as claimed the above. Arimilli further discloses wherein the memory is adapted to receive a WRITE command and adapted to receive write latency information contemporaneously with the WRITE command (col. 2 lines 63 thru col. 3 line 2 and Fig. 5 Read and Write).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Arimilli US Patent No. 6,675,270 in view of Hampel et al. (Hampel) U.S. Patent No. 6,542,416.

As to claim 3, Arimilli discloses the invention as claimed above. Arimilli further discloses command includes the burst length with the addresses and other standard parameter (col. 4 lines 33-35), however, Arimilli does not specifically disclose wherein receiving the latency information comprises receiving at least one of column address strobe latency information and write latency information.

Hampel discloses wherein receiving the latency information comprises receiving at least one of column address strobe latency information and write latency information (col. 2 lines 55-59) for the purpose of providing a capability of better supporting the applied work load (col. 2 lines 55-59) thereby result in better performances and increased bandwidth.

Accordingly, it would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate wherein receiving the latency information comprises receiving at least one of column address strobe latency

information and write latency information as taught by Hampel in the system of Arimilli for the advantages stated above.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Alternatively, claims 1-3, 6, 10-12, 16-19, 11-24 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Olarig et al. (Olarig) US Patent No. 6,134,638 in view of Kartozy US Patent Pub No. 2003/0110368.

As to claims 1 and 22, Olarig discloses a method, comprises receiving a command (col. 9 line 59, normal read cycles) from a controller (Fig. 1 Ref. 200) to access a memory (Fig. 1 Ref. 114) in response to a memory request from a source (Fig. 1 Ref. 102, normal read cycles reads on this limitation); determining the desired latency information (col. 9 line 40 thru col.10 and table I and table III, reading SPD to determine latency information reads on this limitation) in response to receiving the received memory request from the source; and providing data (col. 9 line 25, Data reads and writes) to or from the memory in response to the command based on the latency information. Although Olarig discloses latency information Olarig does not specifically disclose burst length information.

Kartoz discloses burst length information (Fig. 9A byte 16) for the purpose of accommodate the latest device specification thereby proving more versatile and marketable system.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate burst length information as shown in Kartoz into the invention of Olarig for the advantages stated above..

As to claim 2, Olarig and Kartoz disclose the invention as claimed the above.

Olarig further discloses wherein receiving a command comprises receiving at least one of a READ operation and WRITE operation to access the contents of the memory (col. 9 line 25).

As to claim 3, Olarig and Kartoz disclose the invention as claimed the above.

Kartoz further discloses wherein determining the latency information receiving at least one of column address strobe latency information and write latency information (Fig. 9A, byte nos. 18-20).

As to claim 6, Olarig and Kartoz disclose the invention as claimed the above.

Kartoz further discloses wherein determining the burst length information comprises determining the burst length information based on the source that provided the memory request (Fig. 9A, byte nos. 18-20).

As to claim 10, Olarig discloses an apparatus, comprises a controller (Fig. 1 Ref. 200) adapted to: provide a command (col. 9 line 59, normal read cycles) to access a memory array (Fig. 1 Ref. 114) in response to a memory request from a source (Fig. 1 Ref. 102 normal read cycles reads on this limitation); determining the latency information (col. 9 line 40 thru col.10 and table I and table III, reading SPD to determine latency information reads on this limitation) in response to receiving the received memory request from the source; and receive data (col. 9 line 25, Data reads and writes) from the memory array based on the latency information.

Although Olarig discloses latency information Olarig does not specifically disclose burst length information.

Kartoz discloses burst length information (Fig. 9A byte 16) for the purpose of accommodate the latest device specification thereby proving more versatile and marketable system.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate burst length information as shown in Kartoz into the invention of Olarig for the advantages stated above..

As to claim 11, Olarig and Kartoz disclose the invention as claimed the above. Olarig further discloses wherein the controller is adapted to issue a READ operation access the contents of the memory (col. 9 line 59).

As to claim 12, Olarig and Kartoz disclose the invention as claimed the above. Kartoz further discloses wherein the controller is adapted to provide at least one of the burst length information and the latency information contemporaneously with the command to access the memory (Fig. 9A Byte Nos.16-20).

As to claim 16, Olarig and Kartoz disclose the invention as claimed the above. Olarig further discloses wherein the controller is adapted to issue a WRITE command and adapted to provide write latency information contemporaneously with the WRITE command (col. 9 line 25).

As to claim 17, Olarig discloses a system, comprises a memory array (Fig. 1 Ref. 114), and a controller (Fig. 1 ref. 200) communicatively coupled to the memory array, the controller adapted to: provide a command (col. 9 line 59, normal read cycles) to access the memory array in response to a memory request form a source (Fig. 1 Ref. 102, normal read cycles reads on this limitation); and determining the desired latency information (col. 9 line 40 thru col.10 and table I and table III, reading SPD to determine latency information reads on this limitation) in response to receiving the received memory request from the source, and wherein the memory array is adapted to provide or receive data (col. 9 line 25, Data reads and writes) based on the latency information. Although Olarig discloses latency information Olarig does not specifically disclose burst length information.

Kartoz discloses burst length information (Fig. 9A byte 16) for the purpose of accommodate the latest device specification thereby proving more versatile and marketable system.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate burst length information as shown in Kartoz into the invention of Olarig for the advantages stated above..

As to claim 18, Olarig and Kartoz disclose the invention as claimed the above. Olarig further discloses wherein the controller is adapted to issue at least one of a READ operation and WRITE operation access the contents of the memory (col. 9 line 25).

As to claim 19, Olarig and Kartoz disclose the invention as claimed the above. Kartoz further discloses wherein the controller is adapted to provide at least one of the burst length information and the latency information contemporaneously with the command to access the memory (Fig. 9 A byte Nos. 16-20).

As to claim 23, Olarig discloses an apparatus, comprises a memory (Fig. 1 ref. 114) adapted to: receive a request (col. 9 line 59, normal read cycles) to access contents of the memory; receive, from the memory controller (Fig. 1 Ref. 200), latency information (col. 9 line 40 thru col.10 and table I and table III, reading SPD to determine latency information reads on this limitation) in response to receiving the memory

request from a source (Fig. 1 Ref. 102); and provide data (col. 9 line 25, Data reads and writes) from the memory based on the latency information. Although Olarig discloses latency information Olarig does not specifically disclose burst length information.

Kartoz discloses burst length information (Fig. 9A byte 16) for the purpose of accommodate the latest device specification thereby proving more versatile and marketable system.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate burst length information as shown in Kartoz into the invention of Olarig for the advantages stated above..

As to claim 24, Olarig and Kartoz disclose the invention as claimed the above. Kartoz further discloses wherein memory is adapted to receive at least one of the burst length information and the latency information contemporaneously with the command to access the memory (Fig. 9A byte nos. 16-20).

As to claim 28, Olarig and Kartoz disclose the invention as claimed the above. Olarig further discloses wherein the memory is adapted to receive a WRITE command and adapted to receive write latency information contemporaneously with the WRITE command (Fig. 9A byte nos. 16-20).

Allowable Subject Matter

7. Claims 8, 9, 15, 27 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

1. Applicant's arguments filed on 8/11/06 have been fully considered but they are not persuasive.

Applicant's remarks on pages 10-11 that the references not teaching determining burst length information in response to receiving the memory request from the source is not considered persuasive.

Arimilli discloses determining burst length information in response to receiving the memory request from the source since the memory controller interprets the received command bits from a source and generates different number of bits for different burst length (see col. 4 lines 33-41 the memory controller interprets the received command bits for address and burst length information reads on this limitation).

Olarig further discloses determining the desired latency information (col. 9 line 40 thru col.10 and table I and table III, reading SPD to determine latency information reads on this limitation) in response to receiving the received memory request from the source.

Therefore broadly written claims are disclosed by the references cited.

Conclusion

1. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See attached PTO-892.
2. A shortened statutory period for response to this action is set to expire 3 (three) months and 0 (zero) days from the mail date of this letter. Failure to respond within the period for response will result in **ABANDONMENT** of the application (see 35 USC 133, MPEP 710.02, 710.02(b)).
3. When responding to the office action, Applicant is advised to clearly point out the patentable novelty which he or she thinks the claims present in view of the state of the art disclosed by the references cited or the objections made. He or she must also show how the amendments avoid such references or objections. See 37 C.F.R. ' 1.111(c).
4. When responding to the office action, Applicants are advised to provide the examiner with the line numbers and page numbers in the application and/or references cited to assist examiner to locate the appropriate paragraphs.
5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hong Kim whose telephone number is (571) 272-4181. The examiner can normally be reached on M-F 9:00 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matt Kim can be reached on (571) 272-4182. Any inquiry of a general

Art Unit: 2185

nature or relating to the status of this application should be directed to the TC 2100 whose telephone number is (571) 272-2100.

6. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

7. **Any response to this action should be mailed to:**

Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

or faxed to TC-2100:
(571)-273-8300

Hand-delivered responses should be brought to the Customer Service Window (Randolph Building, 401 Dulany Street, Alexandria, VA 22314).

H Kim
Primary Patent Examiner
August 21, 2006

